
Measuring Guide for Eurovue Shutters



Drywall-wrapped window

REQUIREMENT: Check for clearance

CHECK FOR SUFFICIENT CLEARANCE FOR SHUTTER MOUNTING BY MEASURING WALL AROUND WINDOW EDGE.




21/8" of clearance on all 4 sides, windows with sill requires clearance on 3 sides.

Shutter will completely overlap the window opening by 2" and install on the wall not inside the window opening.





If your clearance is LESS THAN 21/8", please consider another Bali® window treatment.




REQUIREMENT: Check depth of window opening toward the glass to the first obstruction

THE FIRST OBSTRUCTION COULD BE A...









Record SMALLEST measurement of any of these conditions here.

Measure window width



Measure in positions A,B,C and enter the largest of the three widths. (For rounded edges, take measurements from where the wall becomes flat.)

Measure window height



Record LARGEST measurement of the three heights here.




Measure in positions D,E,F and enter the largest of the three heights. If there's a sill, measure from top of sill. (For rounded edges, take measurements from where the wall becomes flat.)






Wood-wrapped window

REQUIREMENT: Check for squareness (Measure to see if your window is SQUARE)




REQUIREMENT: Check depth of window opening toward the glass to the first obstruction







Is your window a tilt-in or a non tilt-in? (choose one)



Measure window width



Measure window height



Panel Configuration			Order Width						
		Geneva and Naples		Monaco		Tuscany			
Panel Configuration	Window Type	Min	Max	Min	Max	Min	Max		
Single Panel Only Left or Right	Drywall-wrapped	6"	26"	7"	26"	8"	26"		
L R	Wood-wrapped	101/4"	301/4"	1111/4"	301/4"	121/4"	301/4"		
Double Panels Left and Right	Drywall-wrapped	161/4"	561/8"	181/4"	561/8"	201/4"	561/8"		
LR	Wood-wrapped	21½"	60%"	23½"	60%"	25½"	60%"		
Double Panel Only Bi-fold Left or Right	Drywall-wrapped	161/4"	441/8"	181/4"	441/8"	201/4"	441/8"		
RR LL	Wood-wrapped	21½"	483/8"	23½"	483/8"	25½"	483/8"		
Double Panels Bi-fold Left and Right	Drywall-wrapped	365%"	921/2"	40%"	92½"	445/8"	92½"		
LLRR	Wood-wrapped	401/8"	96¾"	447/8"	96¾"	487/8"	96¾"		

 $^{^{\}star}$ Note: Panels will only open 110 $^{\circ}$

Geneva and Naples					Monaco 3"				Tuscany 3½"			
Order Height												
	min	max	min	max	min	max	min	max	min	max	min	max
Drywall-wrapped*	11"	80"	131/8"	821/8"	14"	80"	161/8"	821/8"	17"	92"	191/8"	94"
Wood-wrapped	151/4"	841/4"	151/4"	841/4"	181/4"	841/4"	181/4"	841/4"	211/4"	961/4"	211/4"	961/4"
Order Height W	/ithout	a Divide	r Rail									
	min	max	min	max	min	max	min	max	min	max	min	max
Drywall-wrapped*	11"	5515/16"	131/8"	581/16"	14"	6715/16"	161/8"	701/16"	17"	6715/16"	191/8"	701/16"
Wood-wrapped	151/4"	603/16"	151/4"	603/16"	181/4"	723/16"	181/4"	723/16"	211/4"	723/16"	211/4"	723/16"
Panel Edge Des	sign Şe	lection										
Record panel edge design	<u> </u>											

^{*} For drywall-wrapped windows, there will be a 2" overlap on all sides or three sides if you have a window sill.



Choose More Options

SELECT LOUVER SIZE

Two different louver sizes are available to let you choose the look that's right for you.


21/2" Louver

A perfect size without overwhelming other design elements in your room.




3½" Louver

Provides design versatility that can accommodate any décor and offers great view to the outside when open.




SELECT SHUTTER COLOR (SEE IN-STORE SELECTOR OR ORDER SWATCH FOR ACCURATE COLOR REPRESENTATIONS)









Record color number below.

Snow White 1922

Silk White 1603


Dove White 1683

Cream White 1026

DECIDE WHETHER YOU WANT OR NEED A DIVIDER RAIL


Divider rails are used to add strength to tall shutters. Shutters taller than the maximum height listed under the panel edge designs on page 3 will automatically include a centered divider rail.

Divider rails can also be added to shorter shutters as a decorative element or to create a top open/bottom closed effect that maintains privacy while letting in light. In this case, the divider rail can be centered or placed anywhere up to four louvers from the top or bottom of the shutter. To order a divider rail that is not centered, measure from the bottom of your window opening to the point where you want the center of the divider rail located.



Note: Divider Rail is 3" high.

Record "yes" or "no."



Divider Rail Placement: Record "centered" or "(inches) from bottom."

DETERMINE TILT TYPE

Standard Tilt

Standard tilt features a tilt bar on the front of the panel.



Hidden Tilt


Stainless steel tilt bar on back of panel (on hinge side) requires additional ½" clearance from window.



Record tilt type below.



MEASURING FOR CAFE STYLE SHUTTERS




Drywall-wrapped Window*

Measure from bottom of window opening to HEIGHT where top of panel is desired, then deduct 2" from HEIGHT MEASUREMENT.

Wood-wrapped Window*

Measure from bottom of window opening to top of where shutter is desired.

Record height below.



^{*} Use this height when ordering shutter

Order Information Worksheet

			-			-	olace your order.
	W Type	Window Tilt	ASUREMENT Bullnose Corner	Depth (inches)	WINDOW ONLY Width (inches)	Height (inches)	Color
□Drywall-wrapped	window without sill	□Tilt-in Window	Yes No (Applies to Drywall Wrapped only)				□ Snow White (1922) □ Silk White (1603) □ Dove White (1683) □ Cream White (1026)
Louver Size	Panel Edge Design	Panel Configuration			Divider Rail	Tilt Type	Room (for shutter placement
□2½" □3½"	□Geneva □Naples □Monaco □Tuscany			_R	☐ Yes ☐ No ☐ Center ☐ Height	Standard Tilt Hidden Tilt	
NOTE: USE TH	JE DELOW SEC	TION FOR THE ME	ACUDEMENT	S OF ONE	WINDOW ONLY	(WINDOW 2)	
	w Type	Window Tilt	Bullnose Corner	Depth (inches)	Width (inches)	Height (inches)	Color
□Drywall-wrapped	window without sill	□Tilt-in Window	☐Yes ☐No (Applies to Drywall Wrapped only)				□ Snow White (1922) □ Silk White (1603) □ Dove White (1683) □ Cream White (1026)
Louver Size	Louver Size Panel Edge Design		Panel Configuration			Tilt Type	Room (for shutter placement)
□2½" □3½"	□Geneva □Naples □Monaco □Tuscany			LRR	☐ Yes ☐ No ☐ Center ☐ Height	Standard Tilt Hidden Tilt	
NOTE LIGHT	IE DEL OW OF O		AOUDEMENT	-2 OF ONE	MINIDOM ONLY	(MINIDOM 6)	
	w Type	Window Tilt	Bullnose Corner	Depth (inches)	Width (inches)	Height (inches)	Color
□Drywall-wrapped	window without sill	□Tilt-in Window □Non Tilt-in Window	☐ Yes ☐ No (Applies to Drywall Wrapped only)				Snow White (1922) Silk White (1603) Dove White (1683) Cream White (1026)
Louver Size	Panel Edge Design	Panel Configuration			Divider Rail	Tilt Type	Room (for shutter placement)
□2½" □3½"	□Geneva □Naples □Monaco □Tuscany			LRR	☐ Yes ☐ No ☐ Center ☐ Height	Standard Tilt Hidden Tilt	
Additional	Notes		CHANG Orders	rs will be c GES/MODII cannot be	lelivered in ap FICATIONS e changed or m the original	modified after	



