

## Measuring Information; Installation Types

### Regular Window: How to Measure for Uncovered Window


1. Determine headrail type and the clear opening width for one-way draw or split draw (See diagrams) - the additional 3" shown for privacy is recommended if ordering one-way draw.
2. Match the clear opening width with dimension found under "C.O." COLUMN. For even spacing, round up width measurement to the next size in the stack chart. Split draw will have even numbers of vanes.
3. Order the corresponding dimension found in the "F.B.W." (Finished Blind Width).

Example: One-Way Draw Magnum™ 3½"


If determined width for clear opening window view is 54¾", order width needed to provide full unobstructed view is 63½".

NOTE: For one-way draw blinds add an additional 3" to the C.O. (clear opening) before calculating the FBW.

ONE WAY DRAW Finished Blind Width (F.B.W.)



SPLIT DRAW  
(recommended for balanced appearance)  
Finished Blind Width (F.B.W.)



## Vane Stacking Charts

Magnum™ 3½" Vane Stacking Chart														
NO. OF VANES	ONE-WAY DRAW		SPLIT DRAW		NO. OF VANES	ONE-WAY DRAW		SPLIT DRAW		NO. OF VANES	ONE-WAY DRAW		SPLIT DRAW	
	C.O.	F.B.W.	C.O.	F.B.W.		C.O.	F.B.W.	C.O.	F.B.W.		C.O.	F.B.W.	C.O.	F.B.W.
4	10	13¼	8¾	13¼	24	65½	75	63¾	75	44	120¾	137¼	119¾	137¼
5	12¼	16¼			25	68	78¼			45	123¾	140½		
6	15¾	19½	19½	14¼	26	70¾	81¼	69¾	81¼	46	126¾	143½	125	143½
7	18¾	22½			27	73¾	84½			47	129¾	146¾		
8	21¼	25¾	19%	25¾	28	76¾	87½	75	87½	48	132	149¾	130½	149¾
9	23¾	28¾			29	79¾	90¾			49	134¾	153		
10	26¾	31¾	25%	31¾	30	82	93¾	80½	93¾	50	137½	156	136%	156
11	29½	35			31	84¾	96¾			51	140½	159¾		
12	32½	38	30%	38	32	87½	100	86%	100	52	143¾	162¾	141¾	162¾
13	34¾	41			33	90%	103			53	145¾	165¾		
14	37½	44	36	44	34	92¾	106	91½	106	54	148¾	168½	147¾	168½
15	40½	47¾			35	95¾	109¾			55	151¾	171½		
16	43	50¾	41%	50¾	36	98¾	112½	97¾	112½	56	154¾	174¾	152%	174¾
17	45¾	53¾			37	101¾	115½			57	157¾	178		
18	48¾	56¾	47%	56¾	38	104¾	118¾	102%	118¾	58	160	181½	158½	181
19	51¾	59½			39	107	121¾			59	162¾	184¾		
20	54¾	62¾	52%	62¾	40	109¾	125	108½	125	60	165¾	187½	164	187¾
21	57	65¾			41	112½	128			61	168½	190½		
22	59¾	69	58%	69	42	115½	131½	114	131½	62	169¾	191	168	191
23	62½	72			43	118¾	134¾							

C. O. = Clear Opening F.B.W. = Finished Blind Width Stack = F.B.W. - C.O.

For even spacing on outside mounts, round up width measurement to the next size in the stack chart. Split draw blinds must have even number of vanes.

DuraLite™ 3½" Vane Stacking Chart														
NO. OF VANES	ONE-WAY DRAW		SPLIT DRAW		NO. OF VANES	ONE-WAY DRAW		SPLIT DRAW		NO. OF VANES	ONE-WAY DRAW		SPLIT DRAW	
	C.O.	F.B.W.	C.O.	F.B.W.		C.O.	F.B.W.	C.O.	F.B.W.		C.O.	F.B.W.	C.O.	F.B.W.
4	9⅞	13⅞	7⅞	12⅞	23	59¼	72½			42	109¾	131⅞	107¾	131⅞
5	12¼	16¼			24	62⅞	75⅞	60⅞	74⅞	43	112⅞	135		
6	14⅞	19⅞	12⅞	18⅞	25	65	78¾			44	115	138⅞	113	137⅞
7	17½	22½			26	67⅞	81⅞	65⅞	81⅞	45	117¾	141¼		
8	20¼	25⅞	18⅞	24⅞	27	70¼	85			46	120⅞	144⅞	118¼	143⅞
9	22⅞	28¾			28	72⅞	88⅞	70⅞	87⅞	47	123	147½		
10	25½	31⅞	23½	31⅞	29	75½	91¼			48	125⅞	150⅞	123⅞	149⅞
11	28⅞	35			30	78⅞	94⅞	76⅞	93⅞	49	128¼	153¾		
12	30¾	38⅞	28¾	37⅞	31	80¾	97½			50	130⅞	156⅞	128⅞	156⅞
13	33⅞	41¼			32	83⅞	100⅞	81⅞	99⅞	51	133½	160		
14	36	44⅞	34	43⅞	33	86⅞	103¾			52	136⅞	163⅞	134⅞	162⅞
15	38⅞	47½			34	88¾	106⅞	86⅞	106⅞	53	138¾	166¼		
16	41¼	50⅞	39¼	49⅞	35	91⅞	110			54	141⅞	169⅞	139⅞	168⅞
17	43⅞	53¾			36	94	113⅞	92	112⅞	55	144	172½		
18	46½	56⅞	44½	56⅞	37	96⅞	116¼			56	146⅞	175⅞	144⅞	174⅞
19	49⅞	60			38	99¼	119⅞	97¼	118⅞	57	149¼	178¾		
20	51⅞	63⅞	49¾	62⅞	39	101⅞	122½			58			149⅞	178¾
21	54½	66¼			40	104½	125⅞	102½	124⅞					
22	57⅞	69⅞	55⅞	68⅞	41	107⅞	128¾							

C. O. = Clear Opening    F.B.W. = Finished Blind Width    Stack = F.B.W. - C.O.

3½" Magnum™ Vane Stacking Chart for One Touch® Control								
NO. OF VANES	ONE-WAY DRAW		NO. OF VANES	ONE-WAY DRAW		NO. OF VANES	ONE-WAY DRAW	
	C.O.	F.B.W.		C.O.	F.B.W.		C.O.	F.B.W.
4	7⅞	9⅞	21	54⅞	62⅞	38	101½	115⅞
5	10	12⅞	22	57	65⅞	39	104⅞	118⅞
6	12⅞	16⅞	23	60	68⅞	40	107	121⅞
7	15½	19⅞	24	62⅞	71⅞	41	110	124⅞
8	18⅞	22⅞	25	65½	75⅞	42	112⅞	127⅞
9	21	25¼	26	68¼	78⅞	43	115⅞	131⅞
10	23¾	28⅞	27	70⅞	81⅞	44	118¼	134⅞
11	26½	31⅞	28	73¼	84⅞	45	120⅞	137⅞
12	29⅞	34⅞	29	76½	87⅞	46	123⅞	140⅞
13	32	37⅞	30	79⅞	90⅞	47	126½	143⅞
14	34⅞	40⅞	31	82	93⅞	48	128½	144
15	37⅞	43⅞	32	84¾	96⅞			
16	40½	47⅞	33	87⅞	99⅞			
17	43¼	50⅞	34	90¼	102⅞			
18	45⅞	53⅞	35	93	105⅞			
19	48¼	56⅞	36	95⅞	109⅞			
20	51⅞	59⅞	37	98¼	112⅞			

C.O. = Clear Opening    F.B.W. = Finished Blind Width    Stack = F.B.W. - C.O.    One Touch Control available with one-way draw only.



3½" DuraLite™ Vane Stacking Chart For One Touch® Control								
NO. OF VANES	ONE-WAY DRAW		NO. OF VANES	ONE-WAY DRAW		NO. OF VANES	ONE-WAY DRAW	
	C.O.	F.B.W.		C.O.	F.B.W.		C.O.	F.B.W.
4	9⅝	12⅞	19	49¼	59⅞	34	88⅞	107⅞
5	12⅜	16	20	51⅞	63	35	91½	110¼
6	15	19⅞	21	54⅝	66⅞	36	94¼	113⅜
7	17⅝	22¼	22	57¼	69¼	37	96⅞	116½
8	20¼	25⅝	23	59⅞	72⅝	38	99½	119⅝
9	22⅞	28½	24	62½	75⅝	39	102⅞	122¾
10	25½	31⅝	25	65⅞	78⅞	40	104⅜	125⅝
11	28⅞	34⅞	26	67¾	82	41	107⅜	128¾
12	30¾	38	27	70⅜	85⅞	42	110	131⅞
13	33½	41⅞	28	73⅞	88¼	43	112⅝	135
14	36⅞	44¼	29	75¾	91⅜	44	115⅝	138⅞
15	38¾	47⅜	30	78⅜	94½	45	118	141¼
16	41⅜	50½	31	81	97¾	46	120⅝	143⅜
17	44	53⅝	32	83⅝	100⅞	47	123¼	144
18	46⅝	56¾	33	86¼	104			

C.O. = Clear Opening    F.B.W. = Finished Blind Width    Stack = F.B.W. - C.O.    One Touch Control available with one-way draw only.