


General Information

Fabric and Vinyl Vertical Clear Opening: How to Measure for Uncovered Window


Stack Left Finished Blind Width (FBW)



Determine headrail type and the clear opening width for split stack, stack right or stack left (See diagrams) - the additional 3" shown for privacy is recommended if ordering a right or left stack.

1. Match the clear opening width with dimension found under "CO" column below. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even numbers of vanes.
2. Order the corresponding dimension found in the "FBW" (Finished Blind Width) column below.

Split Stack Finished Blind Width (FBW)
(recommended for balanced appearance)



Example: Stack Left

If determined width for clear opening window view is 54³/₈" , order width needed to provide full unobstructed view is 63¹/₈" .

NOTE: For stack right or stack left blinds add an additional 3" to the clear opening before calculating the finished blind width. For One Touch® Control see appropriate Stacking Charts for single stack blinds on the following pages.

Fabric and Vinyl Vertical Vane Stacking Chart: Magnum™ G-98 – 3¹/₂"

No. of Vanes	Single Stack(in)		Split Stack(in)	
	CO	FBW	CO	FBW
3	7 ¹ / ₄	10 ¹ / ₄		
4	10	13 ³ / ₈	8 ¹ / ₂	13 ¹ / ₂
5	12 ⁷ / ₈	16 ¹ / ₂		
6	15 ¹ / ₂	19 ⁵ / ₈	14	19 ³ / ₄
7	18 ³ / ₈	22 ³ / ₄		
8	21 ¹ / ₈	25 ⁵ / ₈	19 ¹ / ₂	26
9	23 ⁷ / ₈	29		
10	26 ³ / ₄	32 ¹ / ₈	25 ¹ / ₈	32 ¹ / ₄
11	29 ³ / ₈	35 ¹ / ₈		
12	32 ¹ / ₄	38 ¹ / ₄	30 ⁵ / ₈	38 ³ / ₈
13	35	41 ³ / ₈		
14	37 ³ / ₄	44 ¹ / ₂	36 ¹ / ₄	44 ⁵ / ₈
15	40 ¹ / ₂	47 ⁵ / ₈		
16	43 ³ / ₈	50 ³ / ₄	41 ³ / ₄	50 ⁷ / ₈
17	46 ¹ / ₈	53 ⁷ / ₈		
18	48 ⁷ / ₈	57	47 ³ / ₈	57 ¹ / ₈
19	51 ⁵ / ₈	60		
20	54 ³ / ₈	63 ¹ / ₈	52 ⁷ / ₈	63 ¹ / ₄
21	57 ¹ / ₄	66 ¹ / ₄		
22	60	69 ⁵ / ₈	58 ³ / ₈	69 ¹ / ₂
23	62 ³ / ₄	72 ¹ / ₂		
24	65 ¹ / ₂	75 ⁵ / ₈	64	75 ³ / ₄
25	68 ¹ / ₄	78 ³ / ₄		
26	71 ¹ / ₈	80 ⁷ / ₈	69 ¹ / ₂	82
27	73 ⁷ / ₈	85		
28	76 ⁵ / ₈	88	75	88 ¹ / ₈
29	79 ³ / ₈	91 ¹ / ₈		
30	82 ¹ / ₄	94 ¹ / ₄	80 ⁵ / ₈	94 ³ / ₈
31	85	97 ⁵ / ₈		
32	87 ³ / ₄	100 ¹ / ₂	86 ¹ / ₈	100 ⁵ / ₈
33	90 ¹ / ₂	103 ⁵ / ₈		
34	93 ¹ / ₄	106 ³ / ₄	91 ³ / ₄	106 ⁷ / ₈
35	96 ¹ / ₈	109 ⁷ / ₈		
36	98 ³ / ₄	112 ⁷ / ₈	97 ¹ / ₄	113
37	101 ⁵ / ₈	116		
38	104 ³ / ₈	119 ¹ / ₈	102 ⁷ / ₈	119 ¹ / ₄

No. of Vanes	Single Stack(in)		Split Stack(in)	
	CO	FBW	CO	FBW
39	107 ¹ / ₈	122 ¹ / ₄		
40	109 ⁵ / ₈	125 ³ / ₈	108 ³ / ₈	125 ¹ / ₂
41	112 ³ / ₄	128 ¹ / ₂		
42	115 ¹ / ₂	131 ⁵ / ₈	113 ⁷ / ₈	131 ³ / ₄
43	118 ¹ / ₄	134 ³ / ₄		
44	121 ¹ / ₈	137 ⁷ / ₈	119 ¹ / ₂	138
45	123 ³ / ₄	140 ⁷ / ₈		
46	126 ⁵ / ₈	144	125	144 ¹ / ₈
47	129 ⁵ / ₈	147 ¹ / ₈		
48	132 ¹ / ₈	150 ¹ / ₄	130 ⁵ / ₈	150 ³ / ₈
49	134 ⁷ / ₈	153 ³ / ₈		
50	137 ⁵ / ₈	156 ¹ / ₂	136 ¹ / ₈	156 ⁵ / ₈
51	140 ¹ / ₂	159 ⁵ / ₈		
52	143 ¹ / ₄	162 ³ / ₄	141 ³ / ₄	162 ⁷ / ₈
53	146	165 ³ / ₄		
54	148 ³ / ₄	168 ⁷ / ₈	147 ¹ / ₄	169
55	151 ¹ / ₈	172		
56	154 ³ / ₈	175 ¹ / ₈	152 ³ / ₄	175 ¹ / ₄
57	157 ¹ / ₈	178 ¹ / ₄		
58	159 ⁷ / ₈	181 ³ / ₈	158 ¹ / ₄	181 ¹ / ₂
59	162 ⁵ / ₈	184 ¹ / ₂		
60	165 ¹ / ₂	187 ⁵ / ₈	163 ⁷ / ₈	187 ³ / ₄
61	168 ¹ / ₈	190 ⁵ / ₈		
62	168 ¹ / ₈	191	166 ¹ / ₂	191

FBW = Finished Blind Width
CO = Clear Opening
STACK = FBW - CO

General Information

Fabric and Vinyl Vertical Vane Stacking Chart: DuraLite™ G-85 – 3½"

No. of Vanes	Single Stack(in)		Split Stack(in)	
	CO	FBW	CO	FBW
3	6⅞	10⅞		
4	9½	13¼	7¼	12½
5	12⅞	16⅞		
6	14¾	19½	12½	18¾
7	17⅞	22⅞		
8	20	25¾	17¾	25
9	22¾	28⅞		
10	25⅞	32	23	31¼
11	28	35⅞		
12	30⅞	38¼	28⅞	37½
13	33¼	41⅞		
14	35⅞	44½	33⅞	43¾
15	38½	47⅞		
16	41⅞	50¾	38⅞	50
17	43¾	53⅞		
18	46⅞	57	44⅞	56¼
19	49	60⅞		
20	51⅞	63¼	49⅞	62½
21	54⅞	66⅞		
22	57	69½	54⅞	68¾
23	59⅞	72⅞		
24	62¼	75¾	60	75
25	64⅞	78⅞		
26	67½	82	65¼	81¼
27	70⅞	85⅞		
28	72¾	88¼	70½	87½
29	75⅞	91⅞		
30	78	94½	75¾	93¼
31	80⅞	97⅞		
32	83¼	100¾	81	100
33	85⅞	103⅞		
34	88½	107	86¼	106¼
35	91⅞	110⅞		
36	93⅞	113¼	91½	112½
37	96½	116⅞		
38	99⅞	119½	96¾	118¾

No. of Vanes	Single Stack(in)		Split Stack(in)	
	CO	FBW	CO	FBW
39	101¾	122⅞		
40	104⅞	125¾	102	125
41	107	128⅞		
42	109⅞	132	107⅞	131¼
43	112¼	135⅞		
44	114⅞	138¼	112⅞	137½
45	117½	141⅞		
46	120⅞	144½	117⅞	143¾
47	122¾	147⅞		
48	125½	150¾	123⅞	150
49	128⅞	153⅞		
50	130¾	157	128⅞	156¼
51	133⅞	160⅞		
52	136	163¼	133⅞	162½
53	138⅞	166⅞		
54	141¼	169½	139	168¾
55	143⅞	172⅞		
56	146½	175¾	144¼	175
57	149⅞	178⅞		
58	151¾	182	149½	181¼
59	154⅞	185⅞		
60	157	188¼	154¾	187½
61	159⅞	191		
62			157¼	191

FBW = Finished Blind Width
CO = Clear Opening
STACK = FBW - CO

General Information

Fabric and Vinyl Vertical Vane Stacking Chart: One Touch® Control (Magnum™ and DuraLite™)

Magnum		
No. of Vanes	Single Stack (in)	
	CO	FBW
3	6 $\frac{1}{8}$	10
4	9	13 $\frac{1}{8}$
5	11 $\frac{3}{4}$	16 $\frac{1}{4}$
6	14 $\frac{1}{2}$	19 $\frac{3}{8}$
7	17 $\frac{1}{4}$	22 $\frac{1}{2}$
8	20 $\frac{1}{8}$	25 $\frac{5}{8}$
9	22 $\frac{3}{4}$	28 $\frac{5}{8}$
10	25 $\frac{5}{8}$	31 $\frac{3}{4}$
11	28 $\frac{3}{8}$	34 $\frac{7}{8}$
12	31 $\frac{1}{8}$	38
13	33 $\frac{7}{8}$	41 $\frac{1}{8}$
14	36 $\frac{5}{8}$	44 $\frac{1}{4}$
15	39 $\frac{1}{2}$	47 $\frac{3}{8}$
16	42 $\frac{1}{4}$	50 $\frac{1}{2}$
17	45	53 $\frac{1}{2}$
18	47 $\frac{3}{4}$	56 $\frac{5}{8}$
19	50 $\frac{5}{8}$	59 $\frac{3}{4}$
20	53 $\frac{3}{8}$	62 $\frac{7}{8}$
21	56 $\frac{1}{8}$	66
22	58 $\frac{7}{8}$	69 $\frac{1}{8}$
23	62	72 $\frac{1}{8}$
24	64 $\frac{3}{4}$	75 $\frac{1}{4}$
25	67 $\frac{1}{2}$	78 $\frac{3}{8}$
26	70 $\frac{3}{8}$	81 $\frac{1}{2}$
27	73	84 $\frac{5}{8}$
28	75 $\frac{7}{8}$	87 $\frac{3}{4}$
29	78 $\frac{5}{8}$	90 $\frac{7}{8}$
30	81 $\frac{3}{8}$	94
31	84 $\frac{1}{4}$	97 $\frac{1}{8}$
32	87	100 $\frac{1}{8}$
33	89 $\frac{3}{4}$	103 $\frac{1}{4}$
34	92 $\frac{1}{2}$	106 $\frac{3}{8}$
35	95 $\frac{5}{8}$	109 $\frac{1}{2}$
36	98	112 $\frac{5}{8}$
37	100 $\frac{7}{8}$	115 $\frac{3}{4}$
38	103 $\frac{5}{8}$	118 $\frac{7}{8}$
39	106 $\frac{3}{8}$	122
40	109 $\frac{1}{8}$	125
41	111 $\frac{7}{8}$	128 $\frac{1}{8}$
42	114 $\frac{3}{4}$	131 $\frac{1}{4}$
43	117 $\frac{1}{2}$	134 $\frac{3}{8}$
44	120 $\frac{1}{4}$	137 $\frac{1}{2}$
45	123 $\frac{3}{8}$	140 $\frac{7}{8}$
46	125 $\frac{3}{4}$	144
47	128 $\frac{7}{8}$	147 $\frac{1}{8}$
48	131 $\frac{3}{4}$	150 $\frac{1}{4}$
49	134 $\frac{3}{8}$	153 $\frac{3}{8}$
50	136 $\frac{3}{4}$	156

DuraLite		
No. of Vanes	Single Stack (in)	
	CO	FBW
3	6 $\frac{1}{4}$	10 $\frac{1}{8}$
4	8 $\frac{7}{8}$	13 $\frac{1}{4}$
5	11 $\frac{1}{2}$	16 $\frac{3}{8}$
6	14 $\frac{1}{8}$	19 $\frac{1}{2}$
7	16 $\frac{3}{4}$	22 $\frac{5}{8}$
8	19 $\frac{3}{8}$	25 $\frac{3}{4}$
9	22	28 $\frac{7}{8}$
10	24 $\frac{3}{4}$	32
11	27 $\frac{3}{8}$	35 $\frac{1}{8}$
12	30	38 $\frac{1}{4}$
13	32 $\frac{5}{8}$	41 $\frac{3}{8}$
14	35 $\frac{1}{4}$	44 $\frac{1}{2}$
15	37 $\frac{7}{8}$	47 $\frac{5}{8}$
16	40 $\frac{1}{2}$	50 $\frac{3}{4}$
17	43 $\frac{1}{8}$	53 $\frac{7}{8}$
18	45 $\frac{3}{4}$	57
19	48 $\frac{3}{8}$	60 $\frac{1}{8}$
20	51	63 $\frac{1}{4}$
21	53 $\frac{5}{8}$	66 $\frac{3}{8}$
22	56 $\frac{1}{4}$	69 $\frac{1}{2}$
23	59 $\frac{1}{4}$	72 $\frac{5}{8}$
24	61 $\frac{7}{8}$	75 $\frac{3}{4}$
25	64 $\frac{1}{2}$	78 $\frac{7}{8}$
26	67 $\frac{1}{8}$	82
27	69 $\frac{3}{4}$	85 $\frac{1}{8}$
28	72 $\frac{3}{8}$	88 $\frac{1}{4}$
29	75	91 $\frac{3}{8}$
30	77 $\frac{5}{8}$	94 $\frac{1}{2}$
31	80 $\frac{1}{4}$	97 $\frac{5}{8}$
32	82 $\frac{7}{8}$	100 $\frac{3}{4}$
33	85 $\frac{1}{2}$	103 $\frac{7}{8}$
34	88 $\frac{1}{8}$	107
35	90 $\frac{3}{4}$	110 $\frac{1}{8}$
36	93 $\frac{3}{8}$	113 $\frac{1}{4}$
37	96 $\frac{1}{8}$	116 $\frac{3}{8}$
38	98 $\frac{3}{4}$	119 $\frac{1}{2}$
39	101 $\frac{3}{8}$	122 $\frac{5}{8}$
40	104	125 $\frac{3}{4}$
41	106 $\frac{5}{8}$	128 $\frac{7}{8}$
42	109 $\frac{1}{4}$	132
43	111 $\frac{7}{8}$	135 $\frac{1}{8}$
44	114 $\frac{1}{2}$	138 $\frac{1}{4}$
45	117 $\frac{1}{8}$	141 $\frac{3}{8}$
46	119 $\frac{3}{4}$	144

FBW = Finished Blind Width CO = Clear Opening STACK = FBW - CO
